Qty:

40 Um:

Each

Date: User:

Tuesday, 31/03/2009 1:04:22 PM

Julie Dawson

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

: BUSHING

: D28063

: N/A

: A

: D2806 REV A

: 07/04/2009

Customer Job Number : CU-DAR001 Dart Helicopters Services

S.O. No. :

: 46737 : 10518

Estimate Number

P.O. Number

: 31/03/2009 This Issue

: NC Prsht Rev.

: 11 First Issue

Previous Run

Written By

: 42175

Type

: MACHINED PARTS

Checked & Approved By Comment

: Est:B 05.03.11 Part now turned

Est Rev: C Now on Doosan Lathe JLM Verified By: EC

Additional Product

Job Number:

Seq. #:

Machine Or Operation:

Description:

1.0

M6061T6H1000

6061-T6 HexBar 1.00

Comment: Qty.: 0.0962 f(s)/Unit

Total: 3.8472 f(s)

6061-T6 Hex Bar 1.0"

Material: 6061-T6 (QQ-A-200/8 or QQ-A-250/11) 1.00" Hex Bar

(M6061T6H1.000)

2.0

DOOSAN LATHE

DOOSAN LATHE

Comment: Doosan Lathe

1- Turn as per Folio FA105 Rev.

& Dwg D2806 Rev: 4

2-Deburr per dwg D2806

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHIN



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

5.0

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

Dart Aerospace Ltd

W/O: WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						·	

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
Resolution:		Disposition:	OA: N/C Closed:	Date

NCR:			CE (NCR)					
		Description of NC	Description of NC Corrective Action Section B		1B			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector

NOTE: Date & initial all entries

Date: Tuesday, 31/03/2009 1:04:23 PM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services **Drawing Name: BUSHING** Job Number: 46737 Part Number: D28063 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT ALODINE 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 48 FINAL INSPECTION/W/O RELEASE QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

W/O:

11/0.		WORK ORDER C	HANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				104			
Part No):	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	

WORK ORDER CHANGES

Resolution: _____ Disposition: _____ QA: N/C Closed: ____ Date: ____

NCR:	WORK ORDER NON-CONFORMANCE (NC							
		Description of NC		Verification				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
	:							
NOTE: D	 ate & initial al	l entries		· · · · · · · · · · · · · · · · · · ·				

DART AEROSPACE LTD	Work Order:	46737
Description: Bushing	Part Number:	D2806-3
Inspection Dwg: D2806 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


				_			
	X	First Arti	cle	Prot	otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection		nments
1.000	+/-0.010	1.000					
1.155	+/-0.010	1.140				STK.	SIZE
0.250	+/-0.010	,250	/				
0.063 x 45°	+/-0.010	-163×45°					
0.080 x 45°	+/-0.010	:075×45	//				
0.495	+0.000/-0.005	,495	/				
0.750	+0.000/-0.005	.748					
Ø0.316	+0.005/-0.000	- 320					
0.094	+/-0.005	.080					
Measured by:	1/1	Audited by:	8Pi 1		Prototype A	Approval:	N/A
Date:	09/04/01	Date:	09/41/0	1		Date:	N/A
Rev Date A 04.02.25 B 08.11.27	Change New Issue 0.094 dimension	added				Revised by KJ/RF KJ/EC	Approved





DESIGN	DRAWN BY	DART AERO HAWKESBURY, O	
CHECKED	APPROVED	DRAWING NO.	REV. A
P	4	D2806	SHEET 1 OF 1
DATE		TITLE	SCALE
00.11.08		BUSHING	2:1
Α	00.11.08	NEW ISSUE	

RELEASED



D2806-1 (DRILL Ø0.257 HOLE) D2806-3 (DRILL Ø0.316 HOLE)

SHOP COPY **RETURN TO ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT WITHOUT NOTICE

MATERIAL: 6061-T6 (QQ-A-200/8) OR (QQ-A-250/11) OR (QQ-A-225/8) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1

BREAK ALL UNMARKED SHARP EDGES 0.010 TO 0.020

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.